

RECEIVED
CENTRAL FAX CENTER

APR 18 2006

WORKMAN NYDEGGER
A PROFESSIONAL CORPORATION
ATTORNEYS AT LAW
1000 EAGLE GATE TOWER
60 EAST SOUTH TEMPLE
SALT LAKE CITY, UTAH 84111
TELEPHONE (801) 533-9800
FAX (801) 328-1707

TELECOPIER COVER SHEETApril 18, 2006Total Number of Pages
(including cover letter):6

Please deliver the transmitted facsimile pages to:

PATENT EXAMINER KRASS
ART UNIT 1614

Business Phone

Telecopier Phone:

(571) 273-8300

From:

JOHN M. GUYNN

Comments:

Serial No. 10/726,218

Please see attached.

Docket No.:

7678.576a.1.1

We are transmitting from a Sharp FO-750 or Sharp FO-6100 facsimile machine. If you do not receive all the pages or they are unreadable, please contact me as soon as possible at (801) 533-9800.

THE INFORMATION CONTAINED IN THIS FACSIMILE MESSAGE IS ATTORNEY PRIVILEGED AND CONFIDENTIAL INFORMATION INTENDED ONLY FOR THE USE OF THE INDIVIDUAL OR ENTITY NAMED ABOVE. IF THE READER OF THIS MESSAGE IS NOT THE INTENDED RECIPIENT, OR THE EMPLOYEE OR AGENT RESPONSIBLE TO DELIVER IT TO THE INTENDED RECIPIENT, YOU ARE HEREBY NOTIFIED THAT ANY DISSEMINATION, DISTRIBUTION OR COPYING OF THIS COMMUNICATION IS STRICTLY PROHIBITED. IF YOU HAVE RECEIVED THIS COMMUNICATION IN ERROR, PLEASE IMMEDIATELY NOTIFY US BY TELEPHONE, AND RETURN THE ORIGINAL MESSAGE TO US AT THE ABOVE ADDRESS VIA THE U.S. POSTAL SERVICE. THANK YOU.

S:\FAX\8013281707

**RECEIVED
CENTRAL FAX CENTER**

FILED VIA FACSIMILE

APR 18 2006PATENT APPLICATION
Docket No. 7678.576a.1.1

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re application of:

Brian Algar, et al.

Serial No.: 10/726,218

Filed: December 2, 2003

Conf No.: 3751

For: METHOD OF TREATING A PATIENT'S TEETH USING
FLUORIDE RELEASING GLASS COMPOSITION

Examiner: Frederick F. Krass

Customer No.: 022913

) Art Unit
) 1614**CERTIFICATE OF FACSIMILE TRANSMISSION**Mail Stop AMENDMENT
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Sir:

I hereby certify that this paper is being transmitted via facsimile at facsimile number (801) 328-1707 to the Patent and Trademark Office to phone no. (571) 273-8300 (Formal Fax No.) on the date shown below.

- Response to Restriction Requirement (2 pages)
- Transmittal Letter (2 pages)

Dated this 18th day of April 2006.

Respectfully submitted,

JOHN M. GYNN
Attorney for Applicant
Registration No. 36,153
Customer No. 022913JMG:sp
SJ0000031928V001

FILED VIA FACSIMILE

PATENT APPLICATION

Docket No.: 7678.576a.1.1

WORKMAN | NYDEGGER

INTELLECTUAL PROPERTY ATTORNEYS

**RECEIVED
CENTRAL FAX CENTER****APR 18 2006**1000 EXALL GATE TOWER
60 EAST SOUTH TEMPLE
SALT LAKE CITY, UTAH 84111
TELEPHONE: (801) 533-9800
FAX: (801) 328 1707
WEBSITE: HTTP://WWW.WNLAW.COM

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re application of:

Brian Algar, et al.

Serial No.: 10/726,218

) Art Unit

Filed: December 2, 2003

) 1614

Conf No.: 3751

For: METHOD OF TREATING A PATIENT'S TEETH
USING FLUORIDE RELEASING GLASS
COMPOSITION

Examiner: Frederick F. Krass

Customer No.: 022913

TRANSMITTAL FOR RESTRICTION REQUIREMENT

MAIL STOP AMENDMENT

Commissioner for Patents

P.O. Box 1450

Alexandria, VA 22313-1450

Sir:

Transmitted herewith is a Response to Restriction Requirement for entry
in the above-identified application.☒ The Commissioner is hereby authorized to charge payment of the
following fees associated with this communication or credit any
overpayment to Deposit Account No. 23-3178.☒ Any filing fees under 37 CFR 1.16 for the presentation of
extra claims.RICK D. NYDEGGER
BRENT D. TUCKER
THOMAS R. YOUNG
LARRY R. LAWLER
JONATHAN W. HARTMAN
DAVID R. WRIGHT
JOHN C. STRICKLAND
JOHN M. GYNN
CHARLES T. ROBERTS
DANA L. FARBER
ERIC L. MANTON
CHARLES J. VIVIERA
KEVIN L. PHILLIPS
EDWARD C. GILMORE
STEPHEN A. BRENNAN
R. BURNS JENKINS
DAVID R. TUCKER
DAVID B. DRUTSKOFF
L. DAVID GIBSON
ANDREW J. JAY
FRANK D. RYAN
CARL C. BUCHR. PARSONS FREEMAN, JR.
BRYAN F. MAULIN, JR.
L. REX SPAIN, PH.D.
WILLIAM R. RUTHER
ROBERT K. AYER
JENS C. JENSEN
KARL HART, B. THOMAS
KEVIN W. SIMPSON
WILLIAM J. ALLEN
KEVIN D. HUNTER
SARA D. JONES
TARA HOLLER
JONNA L. JENSEN
MATTHEW D. TUCKER
J. JAVIER CRISTIAN
MICHAEL J. PROFFERMAN
BRETT A. HANSEN
BRIAN J. JOHNSON
MATTHEW A. BARNES
WILLIAM C. HANSEN
ANDREW S. HANSEN
CHRISTOPHER NYDEGGER
DAVID C. FAY
CHRISTOPHER L. DUFF
RYAN H. FARR
JAMES B. BARNES
KARA R. HANSEN
KELLY SCHULTZ
ADRIAN M. BARNES
DAVID A. JONES
SHANE R. JENSEN
JONATHAN M. HUNTER, PH.D.VERNON R. RYAN
OF COUNSELAdmitted only in Utah
Admitted only in Virginia

Commissioner for Patents
Page 2 of 2

X Any patent application processing fees under 37 CFR 1.17.

Dated this 18th day of April 2006.

Respectfully submitted,



JOHN M. GYNN
Attorney for Applicant
Registration No. 36,153
Customer No. 022913

JMG:sp
SJ10000001927V001

**RECEIVED
CENTRAL FAX CENTER****APR 18 2006**

FILED VIA FACSIMILE

PATENT APPLICATION
Docket No. 7678.576a.1.1

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re application of:

Brian Algar, et al.

Serial No.:

10/726,218

Art Unit
1614

Filed:

December 2, 2003

Confirmation No.:

3751

For:

METHOD OF TREATING A PATIENT'S
TEETH USING FLUORIDE RELEASING
GLASS COMPOSITION

Examiner:

Frederick F. Krass

Customer No.:

022913

RESPONSE TO RESTRICTION REQUIREMENTCommissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Dear Sir:

This is a response to the Restriction Requirement dated March 22, 2006, in above-identified application. The Restriction Requirement requires an election of a single metal (or mixture of metals) from among the following species that may be used to form the glass composition: Na, K, Li or Al. Applicants elect sodium (Na) without traverse. The claims that are either generic or specifically read on the elected species are claims 1-9 and 12-25. Claims 10 and 11 read on a non-elected species. Applicants request rejoinder of claims 10 and 11 upon the allowance of a generic claim. Moreover, Applicants note that a claim that requires both sodium and a non-elected metal would read on the elected species.

Application No. 10/726,218
Restriction Requirement dated March 22, 2006
Reply to Restriction Requirement dated April 18, 2006

The Restriction Requirement also requires an election of a specific base bioactive glass composition containing P, F and O, specifically the individual oxide(s) used to produce bioactive glasses within the scope of the claimed invention. Applicants elect P_2O_5 as an oxide used to form the claimed bioactive glasses without traverse (See ¶ [0018] of Application). Each of claims 1-25 is either generic or reads on the elected species.

In the event the Examiner has any questions regarding this communication, the Examiner is invited to contact the undersigned attorney of record.

Dated this 18th day of April 2006.

Respectfully submitted,



JOHN M. GYNN
Attorneys for Applicant
Registration No. 36,153
Customer No. 022913

JMG:sp
JMG0000000834V001